

# Safety Data Sheet Carbon Dioxide - Solid, Dry Ice

### **Section 1: Product and Company Identification**

Cee Kay Supply, Inc 5835 Manchester Avenue Saint Louis, MO 63110 www.CeeKay.com (314) 644-3500

Product Code: Carbon Dioxide - Solid, Dry Ice

### **Section 2: Hazards Identification**

# Warning

#### **Hazard Classification:**

Not classified by Globally Harmonized System of Classification and Labeling (GHS) (Category 1)

#### **Hazard Statements:**

May displace oxygen and cause rapid suffocation. May increase respiration and heart rate. May cause frostbite.

#### **Precautionary Statements**

#### Prevention:

Keep out of reach of children.

Read label before use.

#### Response:

If medical advice is needed, have product container or label at hand.

### **Section 3: Composition/Information on Ingredients**

CAS# 124-38-9

Generated by the SDS Manager from AsteRisk, LLC. All Rights Reserved

| Chemical<br>Substance | Chemical<br>Family | Trade Names  |
|-----------------------|--------------------|--|
| CARBON DIOXIDE        | Inorganic gases    | CARBONIC ACID GAS; CARBONIC ANHYDRIDE; CARBON DIOXIDE; CARBON OXIDE; UN 1013; CO2; Dry Ice |

# **Section 4: First Aid Measures**

| Skin Contact   | Eye Contact  | Ingestion               | Inhalation   | Note to<br>Physicians            |
|--|--|-------------------------|--|----------------------------------|
| If frostbite or freezing occur, immediately flush with plenty of lukewarm water (105-115 F; 41-46 C). DO NOT USE HOT WATER. If warm water is not available, gently wrap affected parts in blankets. Get immediate medical attention. | Immediately flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention. | Do not induce vomiting. | If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention. | For inhalation, consider oxygen. |

### **Section 5: Fire Fighting Measures**

| Suitable Extinguishing Media | Products of Combustion | Protection of Firefighters  |
|------------------------------|------------------------|---|
| Non-flammable                | Non-flammable          | <ul> <li>Any appropriate escape-type, self-contained breathing apparatus.</li> <li>Non-flammable</li> </ul> |

### **Section 6: Accidental Release Measures**

| Personal Precautions  | Environmental Precautions   | Methods for<br>Containment                   |
|---|---|--|
| Keep unnecessary people away, isolate hazard area and deny entry. Ventilate closed spaces before entering. Do | Subject to California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65), Keep out of | Stop leak if possible without personal risk. |
| not touch spilled material.   | water supplies and sewers.  | manout porocinal notal                       |

| Methods for Cleanup                             | Other Information |
|---|-------------------|
| Stop leak, evacuate, remove source of ignition. | None              |

# Section 7: Handling and Storage

| Handling  | Storage  |
|---|--|
| Store and use with adequate ventilation. Firmly secure cylinders upright to | Do not get liquid in eyes, on skin, or clothing. Protect cylinders |
| keep them from falling or being knocked over. Screw valve protection cap    | from damage. Use a suitable hand truck to move cylinders; do       |
| firmly in place by hand. Store only where temperature will not exceed 125F  | not drag, roll, slide, or drop. Open valve slowly. Close cylinder  |
| (52C). Store full and empty cylinders separately. Use a first-in, first-out | valve after each use; keep closed even when empty. If valve is     |
| inventory system to prevent storing full cylinders for long periods.        | hard to open, discontinue use and contact your supplier            |

### **Section 8: Exposure Controls/Personal Protection**

#### **Exposure Guidelines** ACGIH ACGIH TLV-TWA (ppm) 5000 ppm ACGIH ACGIH TLV-STEL (ppm) 30000 ppm USA OSHA OSHA PEL (TWA) (ppm) 5000 ppm

#### **Engineering Controls**

Handle only in fully enclosed systems

| riandle only in fully enclosed systems.  |  |   |
|--|--|---|
| Eye Protection   | Skin Protection                              | Respiratory Protection                                |
| Wear splash resistant safety goggles. Contact lenses should not be worn. Provide an emergency eye wash fountain and quick drench shower in the | Wear appropriate protective, cold insulating | Any appropriate escape-type, self-contained breathing |
| immediate work area.   | clothing.                                    | apparatus.  |

Cee Kay Supply, Inc page 2 of 5 Generated: 10/05/2017 14:29:25

#### **General Hygiene considerations**

- Avoid breathing vapor or mist
- Avoid contact with eyes and skin
- Wash thoroughly after handling and before eating or drinking

# **Section 9: Physical and Chemical Properties**

| Physical State | Appearance | Color | Change in Appearance | Physical Form | Odor     | Taste      |
|----------------|------------|-------|----------------------|---------------|----------|------------|
| Solid          | White      | White | N/A                  | Solid         | Odorless | Acid taste |

| Flash Point   | Flammability  | Partition Coefficient | Autoignition Temperature | Upper Explosive Limits | Lower Explosive Limits |
|---------------|---------------|-----------------------|--------------------------|------------------------|------------------------|
| Not flammable | Not available | N/A                   | Nonflammable             | Nonflammable           | Nonflammable           |

| Boiling<br>Point | Freezing<br>Point                                   | Vapor<br>Pressure       | Vapor<br>Density | Specific<br>Gravity | Water<br>Solubility | рН  | Odor<br>Threshold | Evaporation<br>Rate | Viscosity           |
|------------------|---|-------------------------|------------------|---------------------|---------------------|---|-------------------|---------------------|---------------------|
| Not<br>available | (sublimation<br>temperature)<br>78.5C (-<br>109.3F) | 43700<br>mmHg @<br>21 C | 1.5<br>(Air=1)   | 1.522 @<br>21 C     | Soluble             | 3.7<br>(saturated<br>aqueous<br>solution)<br>@ 101.3<br>kPa<br>(carbonic<br>acid) | Not<br>available  | Not<br>applicable   | 0.01657<br>cP @ 0 C |

| Molecular<br>Weight | Molecular<br>Formula | Density | Weight per<br>Gallon | Volatility by Volume | Volatility     | Solvent Solubility  |
|---------------------|----------------------|---------|----------------------|----------------------|----------------|---|
| 44.01               | C-O2                 | 0.114   | Not available        | Not applicable       | Not applicable | Soluble: Alcohol, acetone, hydrocarbons, organic solvents |

# Section 10: Stability and Reactivity

| Stability                     | Conditions to Avoid           | Incompatible Materials  |
|-------------------------------|-------------------------------|---|
| Stable at normal temperatures | Stable at normal temperatures | Combustible materials, oxidizing materials, metal salts, reducing |
| and pressure.                 | and pressure.                 | agents, metal carbide, metals, bases                              |

| Hazardous Decomposition Products | Possibility of Hazardous Reactions |  |
|----------------------------------|------------------------------------|--|
| Carbon monoxide                  | Will not polymerize.               |  |

# **Section 11: Toxicology Information**

#### **Acute Effects**

| Oral LD50   | Dermal LD50 | Inhalation   |
|-------------|-------------|--|
| Not         | Not         | After sublimation: ringing in the ears, nausea, irregular heartbeat, headache, drowsiness, dizziness, tingling |
| established | established | sensation, visual disturbances, suffocation, convulsions, coma   |

| Eye Irrita | tion Skin Irritation        | Sensitization   |  |  |
|------------|-----------------------------|---|--|--|
| Frostbite  | Liquid: blisters, frostbite | Frostbite. Sublimes to vapor at -109F (-78C). Danger of asphyxiation after sublimation. |  |  |

#### **Chronic Effects**

| Carcinogenicity | Mutagenicity    | Reproductive Effects | Developmental Effects |
|-----------------|-----------------|----------------------|-----------------------|
| Not available   | Not established | Available.           | No data               |

# Section 12: Ecological Information

#### **Fate and Transport**

| rate and Transport |                             |                                |                            |  |  |
|--------------------|-----------------------------|--------------------------------|----------------------------|--|--|
| Eco toxicity       | Persistence / Degradability | Bioaccumulation / Accumulation | Mobility in<br>Environment |  |  |

Cee Kay Supply, Inc page 3 of 5 Generated: 10/05/2017 14:29:25

Fish toxicity: 150000 ug/L 48 day(s) Relatively non-persistent in the Accumulates very little in the Leaches through (Mortality) Brown trout (Salmo trutta) environment. Moderately volatile from bodies of living organisms. the soil Invertibrate toxicity: Not available water. Algal toxicity: Not available Phyto toxicity: Not available Other toxicity: Not available

### **Section 13: Disposal Considerations**

Dispose in accordance with all applicable regulations.

### **Section 14: Transportation Information**

U.S. DOT 49 CFR 172.101

| Proper<br>Shipping<br>Name             | ID<br>Number | Hazard<br>Class or<br>Division | Packing<br>Group | Labeling<br>Requirements | Passenger Aircraft<br>or Railcar Quantity<br>Limitations | Cargo Aircraft<br>Only Quantity<br>Limitations | Additional<br>Shipping<br>Description |
|--|--------------|--------------------------------|------------------|--------------------------|--|--|---------------------------------------|
| Carbon<br>dioxide, solid<br>or Dry Ice | UN1845       | 9                              | III              | N/A                      | 200kg  | 200kg  | None                                  |

**Canadian Transportation of Dangerous Goods** 

| Shipping Name                    | UN Number | Class | Packing Group / Risk Group |
|----------------------------------|-----------|-------|----------------------------|
| Carbon dioxide, solid or Dry Ice | UN1845    | 9     | III                        |

# Section 15: Regulatory Information

**U.S. Regulations** 

| CERCLA Sections | SARA 355.30    | SARA 355.40    |
|-----------------|----------------|----------------|
| Not regulated.  | Not regulated. | Not regulated. |

**SARA 370.21** 

| Acute | Chronic | Fire | Reactive | Sudden Release |
|-------|---------|------|----------|----------------|
| Yes   | No      | No   | No       | Yes            |

**SARA 372.65** 

Not regulated.

**OSHA Process Safety** 

Not regulated.

**State Regulations** 

CA Proposition 65 Not regulated.

**Canadian Regulations** 

WHMIS Classification Α

**National Inventory Status** 

| US Inventory (TSCA)  | TSCA 12b Export Notification | Canada Inventory (DSL/NDSL) |  |
|----------------------|------------------------------|-----------------------------|--|
| Listed on inventory. | Not listed.                  | Listed on inventory.        |  |

Cee Kay Supply, Inc page 4 of 5 Generated: 10/05/2017 14:29:25

# **Section 16: Other Information**

NFPA Rating

HEALTH=2 FIRE=0 REACTIVITY=0

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Generated: 10/05/2017 14:29:25